

大分大学 福祉健康科学部 理学療法コース 業績目録 2019

1. Kodama M, Okimoto T, Mizukami K, Fukuda K, Ogawa R, Okamoto K, Matsunari O, Kawahara Y, Hirashita Y, Murakami K.
Differences in Helicobacter pylori and CagA antibody changes after eradication between subjects developing and not developing gastric cancer.
J Clin Biochem Nutr. 2019;**65**(1):71–75. doi: [10.3164/jcfn.19-30](https://doi.org/10.3164/jcfn.19-30).
2. Kodama M, Okimoto T, Mizukami K, Fukuda K, Ogawa R, Okamoto K, Matsunari O, Wada Y, Hirashita Y, Murakami K.
Evaluation of a Novel Anti-H. pylori Antibody Detection Kit by Latex Turbidimetric Immunoassay.
Clin Lab. 2019;**65**(6):929–936. doi: [10.7754/Clin.Lab.2018.180918](https://doi.org/10.7754/Clin.Lab.2018.180918).
3. Umeda R, Takanari H, Ogata K, Matsumoto S, Kitano T, Ono K, Tokumaru O*.
Direct free radical scavenging effects of water-soluble HMG-CoA reductase inhibitors.
J Clin Biochem Nutr. 2019;**64**(1):20–26. doi: [10.3164/jcfn.18-48](https://doi.org/10.3164/jcfn.18-48).
4. Tashiro N, Sugata H, Ikeda T, Matsushita K, Hara M, Kawakami Ken, Kawakami K*, Fujiki M.
Effect of individual food preferences on oscillatory brain activity.
Brain Behav. 2019;**9**(5):e01262. doi: [10.1002/brb3.1262](https://doi.org/10.1002/brb3.1262).
5. Miyazaki M, Ishihara T, Abe T, Kanazaki S, Notani N, Kataoka M, Tsumura H.
Effect of thoracic kyphosis formation and rotational correction by direct vertebral rotation after the simultaneous double rod rotation technique for idiopathic scoliosis.
Clin Neurol Neurosurg. 2019;**178**:56–62. doi: [10.1016/j.clineuro.2019.01.014](https://doi.org/10.1016/j.clineuro.2019.01.014).
6. Kaku N, Tagomori H, Akase H, Tabata T, Kataoka M, Tsumura H.
Efficacy of vitamin E for mechanical damage and oxidation of polyethylene rim by stem neck impingement.
Clin Biomech (Bristol, Avon). 2019;**68**:8–15. doi: [10.1016/j.clinbiomech.2019.05.024](https://doi.org/10.1016/j.clinbiomech.2019.05.024).
7. Kanazaki S, Miyazaki M, Notani N, Ishihara T, Sakamoto T, Sone T, Kataoka M, Tsumura H.
Minimally invasive triangular osteosynthesis for highly unstable sacral fractures:

Technical notes and preliminary clinical outcomes.

Medicine (Baltimore). 2019;**98**(24):e16004. doi: [10.1097/MD.00000000000016004](https://doi.org/10.1097/MD.00000000000016004).

8. Abe T, Miyazaki M, Ishihara T, Kanezaki S, Notani N, Kataoka M, Tsumura H. Spinal epidural lipomatosis is associated with liver fat deposition and dysfunction. *Clin Neurol Neurosurg*. 2019;**185**:105480. doi: [10.1016/j.clineuro.2019.105480](https://doi.org/10.1016/j.clineuro.2019.105480).
9. Kubota Y, Kaku N, Tagomori H, Kataoka M, Tsumura H. Isolated acetabular revision with femoral stem retention using computed tomography-based navigation. *Orthop Traumatol Surg Res*. 2019;**105**(7):1311–1317. doi: [10.1016/j.otsr.2019.08.002](https://doi.org/10.1016/j.otsr.2019.08.002).
10. Miyazaki M, Ishihara T, Abe T, Kanezaki S, Notani N, Kataoka M, Tsumura H. Effect of intraoperative position in single-level transforaminal lumbar interbody fusion at the L4/5 level on segmental and overall lumbar lordosis in patients with lumbar degenerative disease. *Medicine (Baltimore)*. 2019;**98**(39):e17316. doi: [10.1097/MD.00000000000017316](https://doi.org/10.1097/MD.00000000000017316).
11. Miyazaki M, Ishihara T, Abe T, Kanezaki S, Notani N, Kataoka M, Tsumura H. The position of the spinal cord relative to the vertebrae in adolescent idiopathic scoliosis. *Medicine (Baltimore)*. 2019;**98**(47):e18057. doi: [10.1097/MD.00000000000018057](https://doi.org/10.1097/MD.00000000000018057).
12. Kanezaki S, Miyazaki M, Ishihara T, Notani N, Abe T, Tsubouchi Y, Kataoka M, Tsumura H. Enhancement of the effects of intermittent parathyroid hormone (1-34) by bone morphogenetic protein in a rat femoral open fracture model. *J Orthop Surg Res*. 2019;**14**(1):403. doi: [10.1186/s13018-019-1470-9](https://doi.org/10.1186/s13018-019-1470-9).
13. Kawahara Y, Kodama M, Mizukami K, Saito T, Hirashita Y, Sonoda A, Fukuda K, Matsunari O, Okamoto K, Ogawa R, Okimoto T, Murakami K. Endoscopic gastric mucosal atrophy as a predictor of colorectal polyps: a large scale case-control study. *J Clin Biochem Nutr*. 2019;**65**(2):153–159. doi: [10.3164/jcbn.19-47](https://doi.org/10.3164/jcbn.19-47).
14. Mizukami K, Matsunari O, Ogawa R, Hirashita Y, Okamoto K, Fukuda K, Sonoda A, Akiyama H, Ozaka S, Kawahara Y, Okimoto T, Kodama M, Murakami K. Examine the Availability and Safety of Mucosal Cutting Biopsy Technique for

Diagnosis of Gastric Submucosal Tumor.

Gastroenterol Res Pract. 2019;**2019**:3121695. doi: [10.1155/2019/3121695](https://doi.org/10.1155/2019/3121695).

eCollection 2019.

15. Gendo Y, Matsumoto T, Kamiyama N, Saechue B, Fukuda C, Dewayani A, Hidano S, Noguchi K, Sonoda A, Ozaki T, Sachi N, Hirose H, Ozaka S, Eshita Y, Mizukami K, Okimoto T, Kodama M, Yoshimatsu T, Nishida H, Daa T, Yamaoka Y, Murakami K, Kobayashi T.

Dysbiosis of the Gut Microbiota on the Inflammatory Background due to Lack of Suppressor of Cytokine Signalling-1 in Mice.

Inflamm Intest Dis. 2019;**3**(3):145–154. doi: [10.1159/000495462](https://doi.org/10.1159/000495462).

16. Kikuchi S, Kato M, Mabe K, Kawai T, Furuta T, Inoue K, Ito M, Yoshihara M, Kodama M, Murakami K.

Optimal Criteria and Diagnostic Ability of Serum Pepsinogen Values for Helicobacter pylori Infection.

J Epidemiol. 2019;**29**(4):147–154. doi: [10.2188/jea.JE20170094](https://doi.org/10.2188/jea.JE20170094).

17. Nojima I, Watanabe T, Gyoda T, Sugata H, Ikeda T, Mima T.

Transcranial static magnetic stimulation over the primary motor cortex alters sequential implicit motor learning.

Neurosci Lett. 2019;**696**:33–37. doi: [10.1016/j.neulet.2018.12.010](https://doi.org/10.1016/j.neulet.2018.12.010).

* corresponding author