

大分大学 福祉健康科学部 理学療法コース 業績目録 2016

1. Ji RC.
Lymph Nodes and Cancer Metastasis: New Perspectives on the Role of Intranodal Lymphatic Sinuses.
Int J Mol Sci. 2016;18(1):51. doi: [1422-0067/18/1/51](https://doi.org/10.3390/ijms1811251).
2. Sugata H, Hirata M, Yanagisawa T, Matsushita K, Yorifuji S, Yoshimine T.
Common neural correlates of real and imagined movements contributing to the performance of brain-machine interfaces.
Sci Rep. 2016;6:24663. doi: [10.1038/srep24663](https://doi.org/10.1038/srep24663).
3. Okimoto T, Mizukami K, Ogawa R, Okamoto K, Shuto M, Fukuda K, Kodama M, Murakami K.
Esomeprazole- or rabeprazole-based triple therapy eradicated Helicobacter pylori comparably regardless of clarithromycin susceptibility and CYP2C19 genotypes.
J Clin Biochem Nutr. 2016;59(2):149–153. doi: [10.3164/jcbn.16-18](https://doi.org/10.3164/jcbn.16-18).
4. Hirashita Y, Tsukamoto Y, Yanagihara K, Fumoto S, Hijiya N, Nakada C, Uchida T, Matsuura K, Kodama M, Okimoto T, Daa T, Seike M, Iha H, Shirao K, Murakami K, Moriyama M.
Reduced phosphorylation of ribosomal protein S6 is associated with sensitivity to MEK inhibition in gastric cancer cells.
Cancer Sci. 2016;107(12):1919–1928. doi: [10.1111/cas.13094](https://doi.org/10.1111/cas.13094).
5. Hashinaga M, Suzuki R, Akada J, Matsumoto T, Kido Y, Okimoto T, Kodama M, Murakami K, Yamaoka Y.
Differences in amino acid frequency in CagA and VacA sequences of Helicobacter pylori distinguish gastric cancer from gastric MALT lymphoma.
Gut Pathog. 2016;8:54. doi: [10.1186/s13099-016-0137-x. eCollection 2016](https://doi.org/10.1186/s13099-016-0137-x).
6. Araki T, Hirata M, Yanagisawa T, Sugata H, Onishi M, Watanabe Y, Ogata S, Honda C, Hayakawa K, Yorifuji S; Osaka Twin Research Group.
Language-related cerebral oscillatory changes are influenced equally by genetic and environmental factors.
Neuroimage. 2016;142:241–247. doi: [10.1016/j.neuroimage.2016.05.066](https://doi.org/10.1016/j.neuroimage.2016.05.066).